

ROAD APPROACH DETAILS

COMMERCIAL AND RESIDENTIAL APPLICATIONS

NOTES:

DRIVEWAY WIDTH:

=15' MIN FOR SINGLE FAMILY RESIDENCE
=24' MIN FOR COMMERCIAL AND MULTI FAMILY

APPROACH SHOULD BE AT 90° ANGLE ± 15°

SINGLE FAMILY DRIVEWAYS SHALL HAVE 15' RADIUS OF RETURNS


COMMERCIAL DRIVEWAYS RADIUS OF RETURN SHALL BE DETERMINED BY THE PUBLIC WORKS DEPARTMENT

SLOPE FROM DRIVE TO DITCH WILL BE 4:1 UNLESS OTHERWISE DETERMINED BY THE COUNTY ENGINEER

CULVERT LENGTH*

$$L = 2*(4:1)*D + \text{DRIVEWAY WIDTH.}$$

*LENGTH TO BE APPROVED BY PUBLIC WORKS DEPARTMENT



J:\Users\bonnie.laubach\ROAD_APPROACH.dwg last edited: 01/02/25 9:57am by: bonnie.laubach

<p>PROJECT ROAD APPROACH</p> <p>DETAIL</p> <p>SHEET TITLE APPLICATION</p>	<p>PREPARED FOR</p>	<p>INSPECTION REQUIREMENTS FOR PERMIT</p> <p>RADIUS OF CURVATURE <input type="checkbox"/></p> <p>WIDTH AT EOP <input type="checkbox"/></p> <p>WIDTH AT APPROX. ROW LINE <input type="checkbox"/></p> <p>CULVERT SIZE <input type="checkbox"/></p>	<p>PREPARED BY</p> <p>CLALLAM COUNTY PUBLIC WORKS</p> <p>CIVIL • STRUCTURAL • SURVEYING</p> <p>223 E FOURTH ST. PORT ANGELES, WA PHONE: (360) 417-2379 FAX: (360) 417-2513</p>	<p>APPROVALS</p> <p>DESIGNED _____</p> <p>DRAWN _____</p> <p>CHECKED _____</p> <p>DATE _____</p> <p>SCALE _____</p> <p>PAGE _____</p>	
---	---------------------	--	---	---	--